

Serial No. 52201APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER  
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE  
STATE OF NEVADA HERETOFORE APPROPRIATEDDate of filing in State Engineer's Office JUN 8 1988

Returned to applicant for correction

Corrected application filed Map filed JUN 8 1988The applicant Dik S. and Betty L. Buxton, Jerry J. and Beverly V. Casale, Richard L. and Gwendolyn D. Furgason and Ronald E. and Claire H. Murray2200 Clearview Driveof Reno

City or Town

Nevada 89502

State and Zip Code No.

hereby make application for permission to change the

Point of Diversion and Place of Use of a Portion

Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under Permit 30109, Certificate 10579

(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and

identify right in Decree.)

1. The source of water is underground  
Name of stream, lake, underground spring or other source.
2. The amount of water to be changed 0.0800 CFS (8.0 ac ft)  
Second feet, acre feet. One second foot equals 448.83 gallons per minute.
3. The water to be used for Irrigation and domestic  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
4. The water heretofore permitted for Irrigation and domestic  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
5. The water is to be diverted at the following point within the NW $\frac{1}{4}$  SE $\frac{1}{4}$  Section 22, T.22N., R.21E.,  
Describe as being within a 40-acre subdivision of public survey and by course and  
M.D.M. or at a point from which the Southeast corner of said Section 22 bears S.40°  
distance to a section corner. If on unsurveyed land, it should be stated.  
39°32'E. a distance of 2568.8 feet.
6. The existing permitted point of diversion is located within the SE $\frac{1}{4}$  NW $\frac{1}{4}$  Section 32, T.23N., R.21E.,  
If point of diversion is not changed, do not answer.  
M.D.M. or at a point from which the Southeast corner of said Section 32 bears  
S.41°59'42"W. a distance of 3915.67 feet (well 1).
7. Proposed place of use Section 22, T.22N., R.21E., M.D.M.: NW $\frac{1}{4}$  SE $\frac{1}{4}$  - 2.0 ac.  
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.
8. Existing place of use Section 32, T.23N., R.21E., M.D.M.: SE $\frac{1}{4}$  SW $\frac{1}{4}$  - 2.0 ac. as depicted.  
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or  
as Parcel 9 on Exhibit Map Supporting the Conveyance of Water Rights by MCO  
manner of use of irrigation permit, describe acreage to be removed from irrigation. Properties Inc. - Palomino Valley,  
Nevada, filed with the Nevada State Engineer on February 19, 1986.
9. Use will be from January 1 to December 31 of each year.  
Month and Day Month and Day
10. Use was permitted from January 1 to December 31 of each year.  
Month and Day Month and Day
11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and  
specifications of your diversion or storage works.) drilled well, pump, motor and irrigation  
State manner in which water is to be diverted, i.e. diversion structure, ditches,  
system.  
pipes and flumes, or drilled well, etc.
12. Estimated cost of works \$15,000
13. Estimated time required to construct works two years

14. Estimated time required to complete the application of water to beneficial use..... five years.....

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Please send all correspondence care of Jerry J. Casale, 2220 Clearview Drive, ..

Reno, NV 89502

By..... s/ Thomas A. Foote  
160 Hubbard Way  
Reno, Nevada 89502

Compared..... kh/ kh

Protested.....

DENIAL..... OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby <sup>deny</sup>~~grant~~ the same, subject to the following limitations and conditions:

This application is herewith denied on the grounds that the applicant has failed to submit the permit fees required under the provisions of NRS 533.435.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed..... cubic feet per second.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed..... IN TESTIMONY WHEREOF, I R. MICHAEL TURNIPSEED, P.E.

State Engineer of Nevada, have hereunto set my hand and the seal of

my office, this..... 4th..... day of..... February.....

A.D. 19... 93

Certificate No..... Issued.....